

D Merberg

Databases: progress & news

Protein Sequences
& Data Analysis

© Springer-Verlag 1992

Protein Seq Data Anal (1992) 5:57-64

BEST AVAILABLE COPY

A review of cytokine structures

Elizabeth Minasian¹, Nicos A. Nicola^{2,3}

¹ Department of Biochemistry, University of Melbourne, Parkville, Victoria 3052, Australia

² Walter and Eliza Hall Institute of Medical Research, P.O. Royal Melbourne Hospital, Parkville, Victoria 3052, Australia

³ Co-operative Research Centre for Cellular Growth Factors, c/o Walter and Eliza Hall Institute, Parkville, Victoria 3052, Australia

Received September 11, 1991 / Accepted March 25, 1992

Abstract. The expanding family of cytokines, interleukins and colony-stimulatory factors has made it difficult to readily access their structural and biological properties for comparative purposes. Here their aligned amino acid sequences, biological actions and some structural predictions are presented together for ready comparisons

Introduction

Cytokines, interleukins and colony-stimulating factors are a family of regulatory polypeptides involved in host defence and share a number of features in common.

1. Unlike most of the classical endocrine hormones, cytokines rarely circulate in the blood at biologically significant levels in normal animals but are induced acutely in response to infection, antigenic stimulation or tissue injury and are rapidly cleared from their site of action. They are rarely produced by single organs in response to a single type of stimulus but rather are produced by multiple types of cells scattered throughout the body in response to a variety of different inflammatory signals. The production and action of cytokines is often highly localized to inflammatory sites, being paracrine (cells adjacent to the effector cell produce the

cytokine) or autocrine (effector cells produce the cytokine themselves) rather than endocrine.

2. The production and action of the cytokines is intricately organized with what appears to be a great deal of redundancy and amplification. Many cell types (in particular T-lymphocytes, macrophages, endothelial and fibroblastic cells) produce and secrete a large variety of different cytokines in response to bacterial products or antigenic stimulation. The cytokines themselves have overlapping actions (redundancy) on a variety of effector cells (pleiotropy) and, moreover, form a cascade system where one cytokine can induce the production of several others (amplification) or increase the response to others (synergy).

3. Because they function extracellularly as communicators between cells often in hostile environments, the cytokines generally have the following characteristics. They are small proteins, usually glycosylated and their conformation is maintained by intra-molecular and sometimes inter-molecular disulfide bonds. This endows the cytokines with an often remarkable stability to changes in pH, ionic strength, denaturants and proteases. The cytokines are uniformly active at very low concentrations (generally a few picomolar to a few hundred picomolar) and bind to cell surface receptors with a very high affinity.

4. In addition to stimulating a variety of different cell types, the cytokines often exert multiple levels of regulation on cells of the same cell lineage. For example the colony-stimulating factors are required for the survival, proliferation and differentiation of blood cell precursors but also stimulate various functional activities of the mature white blood cells in the blood and tissues that are involved with host defence.

5. Nineteen amino acid sequences of human and murine hemopoietins have been analyzed using algorithms predictive for secondary structure [1, 2]. The results suggest that they each contain a 4- α -helical bundle, about 2-5 nm long, as a common conformational feature.

Abbreviations: BCGF, B-cell growth factor; BSF - 1, B-cell stimulating factor; CNDF, cholinergic neuronal differentiation factor; CSF, colony-stimulating factor; CSIF, cytokine synthesis inhibitory factor; DIA, differentiation inhibitory activity; DRF, differentiation retarding factor; EDF, eosinophil differentiation factor; EPO, erythropoietin; G, granulocyte; HILDA, human interleukin for DA-1 cells; HP-1, hybridoma/plasmacytoma growth factor; HSP, hepatocyte stimulating factor; IFN, interferon; IL, interleukin; LIF, leukemia inhibitory factor; M, macrophage; MCGF, mast cell growth factor; MGI, macrophage-granulocyte inducer; MLPLI, melanoma-derived lipoprotein lipase inhibitor; TCGF, T-cell growth factor; TNF, tumor necrosis factor; TRF, T-cell replacing factor

Correspondence to: E. Minasian




Fig. 1. Aligned amino acid sequences for 18 different hemopoietins of the 12 species for which data are available. * Identity between all sequences.

BEST AVAILABLE COPY

of the mature human sequence. *Hu* Human; *Rh* Rhesus monkey; *Gi* Gibbon; *Mo* cynomolgous monkey; *Pa*, porcine (pig); *Bu* bovine (cow); *Op* ovine (sheep); *Go* goat; *Rb* rabbit; *Cu* cat; *Ra* rat; *Mu* murine (mouse).

Table 1. Molecular properties of cytokines

Interleukins and cytokines	Other names	Species	Subunits	Leader ^a	Mature protein ^b $M_r (\times 10^{-3})$ (N)	Cysteines ^c	N-Glycosylation ^d sites	Glycosylated $M_r (\times 10^{-3})$	References
IL-1 α		Murine	1	114	17.9-19.0 (156)	—	—	—	[17]
IL-1 β		Human	1	112	17.5 (159)	141	—	—	[18-20]
IL-1 β		Murine	1	117	17.5 (152)	71	—	—	[21]
IL-1 β		Human	1	116	17.5 (153)	8, 71	—	—	[22-25]
TNF α		Murine	1	79	17.0 (156)	69-100	—	—	[26, 27]
TNF α		Human	1	76	17.0 (157)	69-101	—	—	[28, 29]
TNF β		Murine	1	34	18.5 (169)	83	60	20-25	[30-32]
TNF β		Human	1	34	18.5 (171)	—	62	20-25	[33]
IL-2		Murine	1	20	19.4 (149)	72-120	—	—	[34-36]
IL-2		Human	1	20	17.6 (133)	58-105	—	—	[37-41]
IL-3	Multi CSF	Murine	1	26	16.2 (140)	17-79, 80-140	N16, 51, 86+O	18-30	[42-44]
IL-3	Multi CSF	Human	1	19	15.4 (133)	16-84	N15, 70+O	15-30	[45, 46]
IL-4	BSF-1, MCGF, TCGF	Murine	1	20	14.0 (120)	5-87, 27-67, 49-94	N41, 71, 97	15-19	[47, 48]
IL-4	BSF-1, MCGF, TCGF	Human	1	24	15.0 (129)	3-127, 24-65, 46-99	N35, 105	15-19	[49]
IL-5	EDF, BCGF II, TRF	Murine	2	21	13.3 (112)	41-83	N25, 54, 68	32-62	[50]
IL-5	EDF, BCGF II, TRF	Human	2	22	13.2 (112)	41-83	N25, 68	46	[51-53]
IL-6	BSF-2, IFN- β_2 , IL-1 β	Murine	1	24	21.7 (187)	46-52, 75-85	O143	22-29	[54-58]
IL-6	IL-6, 2n KD	Human	1	28	20.8 (184)	44-50, 73-83	N45, O143	19-21	[59, 60]
IL-7		Murine	1	25	14.9 (131)	2, 33, 46, 91, 108, 120	N69, 90	25	[61]
IL-7		Human	1	25	17.4 (153)	2, 34, 47, 92, 129, 141	N70, 91, 116	—	[62, 63]
IL-9, P40	Must cell-enhancing factor	Murine	1	18	14.15 (126)	3, 27, 29, 36, 38, 46, 50, 86, 91, 95	N32, 60, 83, 96	38-40	[64]
IL-9/P40		Human	1	18	14.11 (126)	3, 27, 29, 36, 38, 46, 50, 86, 91, 95	N32, 45, 60, 96	—	[65]
IL-10	CSIF	Murine	1	18	18.7 (160)	2, 52, 98, 104, 149	N16, 116	17-21	[66]
IL-11	CNDF, D-factor	Human	1	17-20	20.0-23.0 (182-179)	11-133, 17-130, 59-162	N9, 34, 63, 73	45-62	[67]
LIF	DRF, DIA	Murine	1	24	20.0 (179)	—	—	—	[68, 69]
LIF	DIF, IL1LDA, HSF III, MLPLI	Human	1	22	20.0 (181)	11-133, 17-130, 59-162	N9, 34, 63, 73	32-45	[70]
G-CSF	MGI-1G	Murine	1	30	19.1 (178)	42-48, 70-80	O139	25	[71]
G-CSF	CSF- β , Pluripocitin	Human	1	30	18.6 (177)	39-45, 67-77	O133	20	[72-74]
GM-CSF	MGI-1GM, Pluripocitin-2	Murine	1	17	14.4 (124)	51-93, 85-118	N58, 67+O	18-25	[75]

BEST AVAILABLE COPY

Table 1 (continued)

Interleukins and cytokines	Other names	Species	Subunits	Leader ^a	Mature protein ^b $M_r (\times 10^{-3})$ (N)	Cysteines ^c	N-Glycosylation ^d sites	Glycosylated $M_r (\times 10^{-3})$	References
GM-CSF	CSF-2	Human	1	17	14.7 (127)	54-96, 88-121i	N 19, 29+0	18-30	[76, 77]
EPO	-	Murine	1	26	18.4 (167)	7, 139, 162	N 24, 38, 83	29.9	[78]
IL-1	IL-1 α , IL-1 β	Human	1	27	18.4 (166)	7-161, 29-33	N 24, 38, 83	29.9	[79, 80]
IL-2	-	Murine	2	31	21 (189), 18 (158)	7, 31, 48, 90, 102, 139, 146o	N 122, 140+0	70-90, 45-50	[81]
IL-3	-	Human	2	32	21 (189), 18 (158)	7, 31, 48, 90, 102, 139, 146o	N 122, 140+0	70-90, 45-50	[82-84]

^a Number of amino acids in putative leader sequence

^b Molecular weight and number of amino acids (M_r) in the protein core of the mature protein

^c 1-2 cysteine amino acid positions are linked with a dash where known; i, intramolecular; o, intermolecular

^d Positions of potential N-linked glycosylation sites (N) or known O-glycosylation sites (O)

^e Three alternate transcripts, each a disulfide-bonded dimer, exist both as transmembrane and proteolytically released forms

^f References for cytokines of other species can be found in [85-112], and G. Willson and N.M. Cough, personal communication

Results

Here we present the aligned amino acid sequences (Fig. 1) and some structural determinants of cytokines of different species (Table 1) to provide ready access for structural and mutagenesis studies. The detailed biology, biochemistry and molecular biology of these cytokines can be addressed through several recent reviews [3-12, 13] and through Table 2. The predicted structures of several cytokines as 4- α -helical bundles are summarized in Table 3. The cytokine family is expanding rapidly and already producing subfamilies - some of these, including the interferons, transforming growth factors β and the interleukin-8 family, are excluded from the present listing but can be found in the following references [14-16].

Table 2. Biological functions of the cytokines

IL-1 α and β	<p>Activates T-cells by inducing IL-2 release</p> <p>Co-factor for B-cell proliferation and differentiation</p> <p>Induces GM-CSF, G-CSF and IL-6 production by bone marrow stroma</p> <p>Stimulates fibroblast proliferation and prostaglandin and collagen synthesis by stroma</p> <p>Induces acute-phase protein release by liver hepatocytes</p> <p>Stimulates bone resorption and cartilage breakdown</p> <p>Induces fever</p> <p>Produced by macrophages, endothelial cells, fibroblasts</p>
TNF α and β	<p>Stimulates T- and B-cell proliferation</p> <p>Induces IL-1α, IL-1β, IL-6, GM-CSF and G-CSF production by stroma</p> <p>Mediator of cachexia (weight loss) and fever</p> <p>Other actions similar to IL-1</p> <p>Produced by macrophages, endothelial cells and fibroblasts</p>
IL-2	<p>Stimulates T-cell proliferation</p> <p>Stimulates B-cell proliferation and differentiation</p> <p>Stimulates natural killer cell proliferation and killing capacity</p> <p>Increases cytotoxic capacity of macrophages</p> <p>Produced by activated T-cells</p>
IL-3	<p>Stimulates proliferation and differentiation of precursors for granulocytes, macrophages, eosinophils, megakaryocytes, erythroid cells and mast cells</p> <p>Enhances cytotoxic capacity of macrophages and eosinophils</p> <p>Produced by activated T-cells</p>
IL-4	<p>Stimulates T-cell proliferation</p> <p>Enhances differentiation of B-cells (immunoglobulin switching, Ig antigen and Fc receptor expression)</p> <p>Stimulates mast cell growth</p> <p>Modulates state of activity of macrophages</p> <p>Produced by activated T-cells</p>
IL-5	<p>Stimulates proliferation and differentiation of eosinophil precursors</p> <p>Stimulates B-cell growth and enhances immunoglobulin production</p> <p>Produced by activated T-cells</p>

Table 2 (continued)

IL-6	Stimulates plasmacytoma cell growth Stimulates immunoglobulin synthesis by B-cells Induces IL-2 production by T-cells Acts as a growth factor for neutrophilic, megakaryocytic and early precursor cells Induces acute phase response from liver hepatocytes Nerve cell differentiation factor Produced by endothelial cells, fibroblasts, macrophages		Stimulation of hepatic release of acute phase proteins Inhibition of differentiation in embryonic stem cell lines Stimulation of osteoblast function Adrenergic to cholinergic transmitter switching in some neurons Inhibition of lipoprotein lipase activity in adipocyte lines Produced by fibroblasts, macrophages and glial cells
IL-7	Induces proliferation of precursor B-cells and T-cells	Epo	Production of erythrocytes and megakaryocytes
IL-9	Produced by hemopoietic stroma Induces proliferation of helper T-cells Stimulates mast cell and megakaryocyte progenitor cell growth	G-CSF	Produced by kidney epithelium and macrophages Stimulates proliferation and differentiation of neutrophilic granulocyte precursors Activates granulocyte cytotoxic function Chemotactic for endothelial cells Produced by macrophages, endothelial and fibroblasts
IL-10	Produced by activated T-cells Inhibits the synthesis of cytokines by activated T-cells Inhibits some immune reactions Stimulates mast cell growth	GM-CSF	Stimulates proliferation and differentiation of neutrophil, eosinophil, macrophage, megakaryocyte and erythroid precursor cells Mitogenic for endothelial, fibroblast, osteoblast and trophoblastic cells Activates cytotoxic function of neutrophils, eosinophils and macrophages Produced by activated T-cells, macrophages, endothelial cells and fibroblasts
IL-11	Produced by activated T-cells Stimulates the proliferation of an IL-6-dependent plasmacytoma cell line Stimulates the T-cell-dependent development of immunoglobulin producing B-cells and synergizes with IL-3 in supporting murine megakaryocyte colony formation Regulator in the hematopoietic microenvironment	M-CSF	Stimulates proliferation and differentiation of macrophage precursor cells Activates cytotoxic function of macrophages Required for production of osteoclasts May have activity on trophoblasts Produced by fibroblasts and macrophages
LIF	Produced by hemopoietic stroma Differentiation induction and suppression of the proliferation of some leukemic cell lines Synergistic stimulation of megakaryocyte and platelet production		

BEST AVAILABLE COPY

Table 3. Predicted 4 α -helical bundle structures for 19 cytokine sequences. Using the helical predictions of Chou and Fasman [113] and Garnier et al. [114] and the heptad algorithm [1, 2, 115, 116] for the 19 Hu and Mu hemopoietins, we summarize the locations of amino acid sequences of the various putative secondary structures

of the four helical elements of the bundles. The locations and nomenclatures of the helices, N and C termini as well as the loops between the four helical elements of the bundles are shown in this table [1, 2]. The amino acid numberings are for the mature cytokine sequences (that is starting after the cleavage sites in Fig. 1)

Cytokines	N termini	A helix	Loop 1	B helix	Loop 2	C helix	Loop 3	D helix	C terminus
Hu IL-2	1-32	33-56	57-65	66-78	79-82	83-101	102-116	117-133	-
Mu IL-2	1-46	47-70	71-79	80-92	93-97	98-116	117-131	132-148	149
Hu IL-3	1-18	19-27	28-55	56-68	69-70	71-85	86-102	103-121	122-133
Mu IL-3	1-19	20-28	29-49	50-62	63-66	67-81	82-96	97-115	116-140
Hu IL-4	1-6	7-22	23-43	44-59	60-79	80-95	96-109	110-123	124-130
Mu IL-4	1-5	6-21	22-42	43-58	59-70	71-86	87-100	101-114	115-117
Hu IL-5	1-6	7-22	23-42	43-58	59-61	62-78	79-92	93-110	111-112
Mu IL-5	1-6	7-22	23-42	43-58	59-61	62-78	79-92	93-110	111-112
Hu IL-6	1-24	25-41	42-83	84-105	106-144	145-165	-	166-184	-
Mu IL-6	1-26	27-43	44-85	86-107	108-147	148-168	-	169-187	-
Hu IL-7	1-10	11-28	29-51	52-59	70-73	74-90	91-126	127-148	149-152
Mu IL-7	1-10	11-28	29-50	51-68	69-72	73-89	90-105	106-127	128-129
Hu G-CSF	1-12	13-26	27-48	70-97	98-105	106-130	131-154	155-175	176-177
Mu G-CSF	1-18	19-32	33-51	73-100	101-108	109-133	134-157	158-178	-
Hu GM-CSF	1-14	15-28	29-33	34-49	50-54	55-75	76-96	97-117	118-127
Mu GM-CSF	1-14	15-28	29-30	31-46	47-51	52-72	73-93	94-114	115-124
Hu EPO	1-2	3-20	21-54	55-77	78-89	90-113	114-128	129-151	152-166
Hu M-CSF	1-14	15-38	39-45	46-61	62-72	73-93	94-109	110-130	131-522
Mu M-CSF	1-14	15-38	39-45	46-61	62-72	73-93	94-109	110-130	131-520

Acknowledgements. The authors thank Emeritus Professor S.J. Leach of the Department of Biochemistry, Melbourne University for his valuable advice and comments on this manuscript and to Mrs. M. Moritz for her special assistance in typing this manuscript. N.A.N. was supported by the National Health and Medical Research Council, the Anti-Cancer Council of Victoria, the National Institutes of Health, Bethesda Grant CA 22556 and the Australian Government Co-operative Research Centres Scheme.

References

1. Parry AD, Minasian E, Leach SJ (1988) *J Mol Recog* 1:107-110
2. Parry AD, Minasian E, Leach SJ (1991) *J Mol Recog* 4:63-75
3. Metcalf D (1984) *The hemopoietic colony-stimulating factors*. Elsevier, Amsterdam
4. Nicola NA (1989) *Annu Rev Biochem* 58:45-77
5. Balkwill FR, Burke (1989) *Immunol Today* 10:299-304
6. Yokota T, Arai N, De Vries J, Spits M, Banchereau J, Zlotnik A, Rennick D, Howard M, Takebe Y, Miyatake S, Lee F, Arai K-I (1988) *Immunol Rev* 102:137-187
7. Kuziel WA, Greene WC (1990) *J Invest Dermatol* 94:275-325
8. Van-Snick J (1990) *Annu Rev Immunol* 8:253-278
9. Hirano T, Kishimoto T (1990) *Handb Exp Pharmacol* 95:633-665
10. Namen AE, Williams DE, Goodwin RG (1990) *Prog Clin Biol Res* 338:65-73
11. Giovine FS di, Duff GW (1990) *Immunol Today* 11:13-20
12. O'Garra A, Umland S, De France T, Christiansen J (1988) *Immunol Today* 9:45-54
13. Balkwill FR (1988) *Microbiol Sci* 3:212-255; 229-233; 281-284
14. Langer JA, Pestka S (1985) *Pharmacol Ther* 27:371-401
15. Massague J (1990) *Annu Rev Cell Biol* 6:597-641
16. Kunkel SL, Strieter RM, Chensue SW, Basha M, Standiford T, Ham J, Rennick DG (1990) *Prog Clin Biol Res* 349:433-444
17. Lomedice PT, Gubler V, Hellmann CP, Dukovich M, Giri JG, Pan YCE, Collier K, Semionow R, Chua AO, Mizel SB (1984) *Nature* 312:458-462
18. March CJ, Mosley B, Larsen A, Cerretti DP, Braedt G, Price V, Gillis S, Henney CS, Kronheim SR, Grabstein K, Conlon PJ, Hopp TP, Cosman D (1985) *Nature* 315:641-647
19. Furutani Y, Notake M, Yamayoshi M, Yamagishi J, Nomura H, Ohue M, Furuta R, Fukui T, Yamada M, Nakamura S (1985) *Nucleic Acids Res* 13:5869-5882
20. Furutani Y, Notake M, Fukui T, Ohue M, Nomura H, Yamada M, Nakamura S (1986) *Nucleic Acids Res* 14:3167-3179
21. Telford JL, Macchia G, Massone A, Carinci V, Palla E, Melli M (1986) *Nucleic Acids Res* 14:9955-9963
22. March CJ, Mosley B, Larsen A, Cerretti DP, Braedt G, Price V, Gillis S, Henney CS, Kronheim SR, Grabstein K, Conlon PJ, Hopp TP, Cosman D (1985) *Nature* 315:641-647
23. Auron PE, Webb AC, Rosenwasser LJ, Mucci SF, Rich A, Wolff SM, Dinarello CA (1984) *Proc Natl Acad Sci USA* 81:7909-7911
24. Clark BD, Collins KL, Gandy MS, Webb AC, Auron PE (1986) *Nucleic Acids Res* 14:7897-7914
25. Bensi G, Rangeli G, Palla E, Carinci V, Buonamasse DT, Melli M (1987) *Gene* 52:95-101
26. Semon D, Kawashima E, Shakhov AN, Jongeneel CV, Nedospasov SA (1987) *Nucleic Acids Res* 15:9083-9084
27. Shirai T, Shimizu N, Shiojiri S, Horiguchi H, Ito H (1988) *DNA* 7:193-201
28. Pennica D, Nedwin GE, Hayflick JS, Seeburg PH, Derynck R, Palladino MA, Kohr WJ, Aggarwal BB, Goeddel DV (1984) *Nature* 312:724-729
29. Cseh K, Beutler B (1989) *J Biol Chem* 264:16256-16260
30. Gray PW, Chen E, Li C-B, Tang W-L, Ruddle N (1987) *Nucleic Acids Res* 15:3937
31. Semon D, Kawashima E, Shakhov AN, Jongeneel CV, Nedospasov SA (1987) *Nucleic Acids Res* 15:9083-9084
32. Cseh K, Beutler B (1989) *J Biol Chem* 264:16256-16260
33. Gray PW, Aggarwal BB, Benton CV, Bringman TS, Henzel WJ, Jarrett JA, Leung DW, Moffat B, Ng P, Svedersky LP, Palladino MA, Nedwin GE (1984) *Nature* 312:721-724
34. Yokota T, Arai N, Lee F, Rennick D, Mosmann T, Arai KJ (1985) *Proc Natl Acad Sci USA* 82:68-72
35. Kashima N, Nishi-Takaoka C, Fujita T, Taki S, Yamada G, Hamuro J, Taniguchi T (1985) *Nature* 313:402-404
36. Fuse A, Fujita T, Yasumitsu H, Kashima N, Hasegawa K, Taniguchi T (1984) *Nucleic Acids Res* 12:9323-9331
37. Holbrook NJ, Lieber M, Crabtree GR (1984) *Nucleic Acids Res* 12:5005-5013
38. Taniguchi T, Matsui H, Fujita T, Takaoka C, Kashima N, Yoshimoto-R, Hamuro J (1983) *Nature* 302:305-310
39. Maeda S, Nishino N, Obaru K, Mita S, Nomiya H, Shimada K, Fujimoto K, Teranishi T, Hirano T, Onoue K (1983) *Biochem Biophys Res Commun* 115:1040-1047
40. Devos R, Plaetinck G, Cheroutre H, Simons G, Degraeve W, Tavernier J, Remant E, Fiers W (1983) *Nucleic Acids Res* 11:4307-4323
41. Robb RJ, Kutny RM, Panico M, Morris HR, Chowdhry V (1984) *Proc Natl Acad Sci USA* 81:6486-6490
42. Miyatake S, Yokota T, Lee F, Arai K-J (1985) *Proc Natl Acad Sci USA* 82:316-320
43. Campbell HD, Ymer S, Fung M-C, Young IG (1985) *Eur J Biochem* 150:297-304
44. Fung MC, Hapel AJ, Ymer S, Cohen DR, Johnson RM, Campbell HD, Young IG (1984) *Nature* 307:233-237
45. Yang Y-C, Ciarletta AB, Temple PA, Chung MP, Kovacic S, Witek-Giannotti JS, Leary AC, Kriz R, Donahue RE, Wong GG, Clark SC (1986) *Cell* 47:3-10
46. Yang Y-C, Clark SC (1987) *Prog Clin Biol Res* 251:3-11
47. Noma Y, Sideras P, Naito T, Bergstedt-Lindquist S, Azuma C, Severinsson E, Tanabe T, Kinashi T, Matsuda R, Yaoita Y, Honjo T (1986) *Nature* 319:640-646
48. Otsuka T, Villaret D, Yokota T, Takebe Y, Lee F, Arai N, Arai K (1987) *Nucleic Acids Res* 15:333-334
49. Yokota T, Otsuka T, Mosmann T, Banchereau J, Defiance T, Blanchard D, De Vries JE, Lee F, Arai K-J (1986) *Proc Natl Acad Sci USA* 83:5894-5898
50. Kinashi T, Harada N, Severinsson E, Tanabe T, Sideras P, Konishi M, Azuma C, Tominaga A, Bergstedt-Lindquist S, Takahashi M, Matsuda F, Yaoita Y, Takatsu K, Honjo T (1986) *Nature* 324:70-76
51. Azuma C, Tanabe T, Konishi M, Kinashi T, Noma T, Matsuda F, Yaoita Y, Takatsu K, Hammarstrom L, Smith CIE, Severinsson E, Honjo T (1986) *Nucleic Acids Res* 14:9149-9158
52. Tanabe T, Konishi M, Mizuta T, Noma T, Honjo T (1987) *J Biol Chem* 262:16580-16584
53. Minamitake Y, Kodama S, Katayama T, Adachi H, Tanaka S, Tsujimoto M (1990) *J Biochem* 107:292-297
54. Simpson RJ, Moritz RL, Rubira MR, Van Snick (1988) *Eur J Biochem* 176:187-197
55. Simpson RJ, Moritz RL (1988) *Biochem Biophys Res Commun* 157:364-372
56. Van Snick J, Cayphas S, Vink A, Uyttenhove C, Couli PG, et al (1986) *Proc Natl Acad Sci USA* 83:9679-9683
57. Van Snick J, Cayphas S, Szikora JP, Renauld J-C, Van Roost E, et al (1988) *Eur J Immunol* 18:193-197
58. Chiu CP, Moulds C, Coffman RL, Rennick D, Lee F (1988) *Proc Natl Acad Sci USA* 85:7099-7103
59. Hirano T, Yasukawa K, Harada H, Taga T, Watanabe Y, Matsuda T, Kashiwamura S-I, Nakajima K, Koyama K, Iwamatsu A, Tsunasawa S, Sakiyama F, Matsui H, Takahara Y, Taniguchi T, Kishimoto T (1986) *Nature* 324:73-76
60. Hirano T, Taga T, Yasukawa K, Harada H, Taga T, Watanabe Y, et al (1986) *Nature* 324:73-76

61. Namen AE, Lupton S, Hjerrild K, Wignall J, Mochizuki DY, Schmierer A, Mosley B, March CJ, Urdal D, Gillis S, Cosman D, Goodwin RG (1988) *Nature* 333:571-573
62. Henney SC (1989) *Immunol Today* 10:170-173
63. Goodwin RG, Lupton S, Schmierer A, Hjerrild KJ, Jerzy R, Clevenger W, Gillis S, Cosman D, Namen AE (1989) *Proc Natl Acad Sci* 86:302-306
64. Simpson RJ, Moritz RL, Rubira MR, Gorman JJ, Van Snick J (1989) *Eur J Biochem* 183:715-722
65. Yang Y-C, Ricardi S, Garletta A, Calvetti J, Kelleher K, Clark SC (1989) *Blood* 74:1880-1884
66. Moore KW, Vieira P, Fiorentino DF, Trounstein ML, Khan TA, Mosmann TR (1990) *Science* 248:1230-1234
67. Paul SR, Bennett F, Calvetti JA, Kelleher K, Wood CR, O'Hara RM, Leary AC, Jr, Sibley B, Clark SC, Williams DA, Yang Y-C (1990) *Proc Natl Acad Sci USA* 87:7512-7516
68. Gearing DP, Gough NM, King JA, Hilton DJ, Nicola NA, Simpson RJ, Nice EC, Kelso A, Metcalf D (1987) *EMBO J* 6:3995-4002
69. Gearing DP, King JA, Gough NM (1988) *Nucleic Acids Res* 16:9857
70. Gough NM, Gearing DP, King JA, Willson TA, Hilton DJ, Nicola NA, Metcalf D (1988) *Proc Natl Acad Sci USA* 85:2623-2627
71. Tsuchiya M, Asano S, Kaziro Y, Nagata S (1986) *Proc Natl Acad Sci USA* 83:7633-7637
72. Nagata S, Tsuchiya M, Asano S, Kaziro Y, Yamazaki T, Yamamoto O, Hirata Y, Kubota N, Oheda M, Nomura H, Ono M (1986) *Nature* 319:415-418
73. Nagata S, Tsuchiya M, Asano S, Yamamoto O, Hirata Y, Kubota N, Oheda M, Nomura H, Yamazaki T (1986) *EMBO J* 5:575-581
74. Souza LM, Boone TC, Gabrilove J, Lai PH, Zsebo KM, Muddock DC, Chazin VR, Burszewski J, Lu H, Chen KK, Barendt J, Platzer E, Moore MAS, Mertelsmann R, Welte K (1986) *Science* 232:61-65
75. Gough NM, Gough J, Metcalf D, Kelso A, Grail D, Nicola NA, Burgess AW, Dunn AR (1984) *Nature* 309:763-767
76. Lee F, Yokota T, Otsuka T, Gemmell L, Larson N, Luh J, Arai K, Rennick D (1985) *Proc Natl Acad Sci USA* 82:4360-4364
77. Wong GC, Witek JS, Temple PA, Wilkens KM, Leary AC, Luxenberg DP, Jones SS, Brown EL, Kay RM, Orr EC, Shoemaker C, Golde DW, Kaufman RJ, Hewick RM, Wang EA, Clark SC (1985) *Science* 228:810-815
78. McDonald JD, Lin F-K, Goldwasser E (1986) *Mol Cell Biol* 6:842-848
79. Jacobs K, Shoemaker C, Rudersdorf R, Neill SD, Kaufman RJ, Mufson A, Seehra J, Jones SS, Hewick R, Fritsch EF, Kawakita M, Shimizu T, Miyake T (1985) *Nature* 313:806-810
80. Lai PH, Everett R, Wang F-F, Arakawa T, Goldwasser E (1986) *J Biol Chem* 261:3116-3121
81. Rajavashisth TB, Eng R, Waheed A, Shaddock RK, Ben Avram CM, Shivel JE, Lysis AJ (1987) *Proc Natl Acad Sci USA* 84:1157-1161
82. Cerretti DP, Wignall J, Anderson D, Tushinski RJ, Gallis BM, Styra M, Gillis S, Urdal DL, Cosman D (1988) *Mol Immunol* 25:761-770
83. Kawasaki ES, Ladner MB, Wong AM, Von Arsdell J, Warren MK, Coyne MY, Schweickart VL, Lee M-T, Wilson KJ, Boosman A, Stanley ER, Ralph P, Mark DP (1985) *Science* 230:291-296
84. Takahashi M, Hirato T, Takano M, Nishida T, Nagamura K, Nakai S, Kamogashira T, Hirai Y (1989) *Biochem Biophys Res Commun* 161:892-901
85. Arai K, Lee F, Miyajima A, Miyatake S, Arai N, Yokota T (1990) *Annu Rev Biochem* 59:783-836
86. Maliszewski CR, Renshaw BR, Schoenborn MA, Urban JF Jr, Baker PE (1990) *Nucleic Acids Res* 18:4282
87. Leong SR, Flagg GM, Lawman M, Gray PW (1988) *Nucleic Acids Res* 16:9053
88. Maliszewski CR, Baker PE, Schoenborn MA, Davis BS, Cosman D, Gillis S, Cerretti DP (1988) *Mol Immunol* 25:429-437
89. Furutani Y, Notake M, Yamayoshi M, Yamagishi J, Nomura H, Ohue M, Furuta R, Fukui T, Yamada N, Nakamura S (1985) *Nucleic Acids Res* 13:5869-5882
90. Nishida T, Nishino N, Takano M, Sekiguchi Y, Kawai K, Mizuno K, Nakai S, Masui Y, Hirai Y (1989) *J Biochem (Tokyo)* 105:351-357
91. Maliszewski CR, Baker PE, Schoenborn MA, Davis BS, Cosman D, Gillis S, Cerretti DP (1988) *Mol Immunol* 25:429-437
92. Leong SR, Flagg GM, Lawman M, Gray PW (1988) *Nucleic Acids Res* 16:9054
93. Fiskerstrand C, Sargan D (1990) *Nucleic Acids Res* 18:7165
94. Mori S, Goto F, Goto K, Okhkawara S, Maeda S, Yoshinaga M (1988) *Biochem Biophys Res Commun* 150:1237-1243
95. Goldstein IM, Henner D, Talhouk A (1989) *EMBL/Genbank/DBJ Data Banks*
96. Shakhov A, Kuprash D, Azizov M, Jongeneel C, Nedospasov S (1990) *Gene* 95:215-221
97. McGraw RA, Coffee BW, Otto CM, Drews RT, Rawlings CA (1990) *Nucleic Acids Res* 18:5563-5563
98. Shirai T, Shimizu N, Horiguchi S, Ito H (1989) *Agric Biol Chem* 53:1733-1736
99. Shakhov A, Kuprash D, Azizov M, Jongeneel C, Nedospasov S (1990) *Gene* 95:215-221
100. Chen SJ, Holbrook NH, Mitchell KF, Vallone CA, Greengard JS, Crabtree GR, Lin Y (1985) *Proc Natl Acad Sci USA* 82:7284-7288
101. Reeves R, Spies AG, Nissen MS, Buck CD, Weinberg AD, Barr PJ, Magnuson NS, Magnuson JA (1986) *Proc Natl Acad Sci USA* 83:3228-3232
102. Goodall JC, Emery DC, Perry ACF, English LS, Hall L (1990) *Nucleic Acids Res* 18:5883
103. Seow H-F, Rothel JS, Radford AJ, Wood PR (1990) *Nucleic Acids Res* 18:7175
104. McKnight AJ, Mason DW, Barclay AN (1989) *Immunogenetics* 30:145-147
105. Yang Y-C, Clark SC (1988) *Lymphokines* 15:375-391
106. Burger H, Dorssers LCJ, Van Leen RW, Wagemaker G (1990) *Nucleic Acids Res* 18:6718
107. Cohen DR, Hapel AJ, Young IG (1986) *Nucleic Acids Res* 14:3641-3658
108. McKnight AJ, Barclay AN, Mason DW (1991) *Eur J Immunol* 21:1187-1194
109. Northeman W, Braciak TA, Hattori M, Lee F, Fey GH (1989) *J Biol Chem* 264:16072-16082
110. Yamahori T, Fukada K, Aebersold R, Korshing S, Fann M-J, Patterson PH (1989) *Science* 246:1412-1416
111. Lin F-K, Lin C-H, Lai P-H, Browne JK, Egric JC, Smalling R, Fox GM, Chen KK, Castro M, Suggs S (1986) *Gene* 44:201-209
112. Maliszewski CR, Schoenborn MA, Cerretti DP, Wignall JM, Pichu KS, Cosman D, Tushinski RJ, Gillis S, Baker PE (1988) *Mol Immunol* 25:843-850
113. Chou P-Y, Fasman GD (1978) *Adv Enzymol Relat Areas Mol Biol* 47:45-148
114. Garnier J, Osguthorpe DJ, Robson B (1978) *J Mol Biol* 120:97-120
115. Cohen C, Parry DAD (1986) *Trends Biochem Sci* 11:245-248
116. Cohen C, Parry DAD (1990) *Proteins: Structure Function and Genetics* 7:1-15